

GeniStand

Marketing Datasheet

Computer Monitor Application













24 hour

Uninterrupted Workflow

Substance



Delivery

Operations

Protection

Total Mobility.

Features

- Easy Cleaning
- Lightweight for easy maneuverability
- **Ergonomically Designed**
- Small footprint for space saving
- Heavy Duty Castors, all braking
- Robust construction for busy environments
- Custom mount fittings and accessories
- Cable management system, no trip hazards
- Height adjustable option available
- 216 Wh power module for extended operation between charges

The GeniStand is a cost effective, light and versatile roll stand ideal for all in one (AIO) PC or monitor applications. Ergonomically designed with high durability castors, both the 4 or 5 wheel bases ensure smooth and effortless mobility, addressing the needs of a fast paced healthcare environment. Minimal footprint and integrated cable management provides a clean and uncluttered workspace.

Powered with the award winning Geni-Tec[™] Battery System, the GeniStand can provide a truly wireless solution. Power module can be quickly charged on wall mounted charging station allowing for 24/7 operation using the dual hot swap dock option.





4 wheel base



5 wheel base

Mount limit	KG Tilt weight	adjustable	Till	Pan	Rotation	Vesa	Wheels
Max 12kg	Max 18kg	1155mm- 1555mm	95°	Fixed (options 180°)	Fixed (options 180°)	100mm/7 5mm	All Brakes


Customization

For customisation options please contact the sales team on +44 (0) 1737 378 820




Marketing Datasheet

Computer Monitor Application



Height	1155 mm to 1555 mm Range (300mm or 400mm height variation)			
Max Tilt Angle	10 Degrees (in a static tilt test) As per EN-60601-1 section 9.4.2.1			
Max Carrying Load	18 kg (Subject to height)			
Base	675mm Diameter			
Accessories Available	Single and double accessory pole mounts available, for mounting multiple accessories.			
Castors	5 Castors, 100mm, all braked 4 Castors, 100mm, all braked			
Compliance	CE			





Ordering

Please find the part number configurator below. For more configuration please visit our website.

Family	Product Description	Part Number
GEN	Single display with height adjustable (400mm) capability, Extrusion length (1000mm) - Single Dock - 100mm casters on 675mm 5 star base	CMS-S01D-1764
	Single display with height adjustable (400mm) capability, Extrusion length (1000mm) - Dual Dock - 100mm casters on 675mm 5 star base	CMS-S01D-2764
	Single display with height adjustable (400mm) capability, Extrusion length (1250mm) - Single Dock - 100mm casters on 675mm 5 star base	CMS-S01D-177D
	Single display with height adjustable (400mm) capability, Extrusion length (1250mm) - Dual Dock - 100mm casters on 675mm 5 star base	CMS-S01D-277D

Notice


Bytec Healthcare takes reasonable steps to ensure that all technical information and recommendations disclosed in our datasheets, brochures and website are based upon our experience and research, it is provided in good faith. Users shall independently determine the suitability of the products shown for their particular regional requirements and intended use, and will ensure that they meet the relevant regulations for the countries of use, as these may differ greatly from country to country. As such we accept no liability whatsoever for any inaccuracies herein disclosed. Please feel free to contact our technical teams, who would be delighted to advise you on specific regulatory issues. Bytec Healthcare reserves the right to alter, delete or make obsolete any product featured in its brochures, datasheet and website without prior notice. E&OE. © Copyright Bytec Healthcare Limited 2017 GENI-CART is a trademark of Bytec Healthcare Ltd.



Marketing Datasheet

Computer Monitor Application











Hooks

Medical Rail





4 Wheeled Base

557

561

• 1

Accessories adapter both

sides

Ordering Please find the part number configurator below. For More configuration please visit our website.

Family	Product Description	Part Number
GEN	Single Display with Fixed height Extrusion length (1000mm) - Single Dock - 5 star base 675mm 100 mm Tente wheels	CMS-S01D-1464
	Single Display with Fixed height Extrusion length (1000mm) - Dual Dock - 5 star base 675mm 100 mm Tente wheels	CMS-S01D-2464
	Single Display with Fixed height Extrusion length (1250mm) - Single Dock - 5 star base 675mm 100 mm Tente wheels	CMS-S01D-147D
	Single Display with Fixed height Extrusion length (1250mm) - Dual Dock - 5 star base 675mm 100 mm Tente wheels	CMS-S01D-247D

Rytec Healthcare takes reasonable steps to ensure that all technical information and recommendations disclosed in our datasheets, brochures and website are based upon our experience and research, it is provided in good faith. Users shall independently determine the suitability of the products shown for their particular regional requirements and intended use, and will ensure that they meet the relevant regulations for the countries of use, as these may differ greatly from country to country. As such we accept no liability whatsoever for any inaccuracies herein disclosed. Please feel free to contact our technical teams, who would be delighted to advise you on specific regulatory issues. Bytec Healthcare reserves the right to alter, delete or make obsolete any product featured in its brochures, datasheet and website without prior notice. E&OE. © Copyright Bytec Healthcare Limited 2017 GENI-CART is a trademark of Bytec Healthcare Ltd.

