

Philips Signage Solutions Multi-Touch Display

43"

Powered by Android Multi-touch

**Signage**Solutions

43BDL3651T

# Engage them

10-point Multi-Touch display.

Inspire collaboration. Deliver information. This responsive Philips Multi-Touch Professional Full HD Display is ideal for multi-finger, multi-user applications-from wayfinding to presentations. Up to 10 touch points can be active at once.

#### Superb picture. Responsive touchscreen.

- Full HD. Clear images. Crisp contrast
- Plug-and-play 10-point Multi-Touch display
- Android SoC processor. Native and web apps
- UHD Clear images. Crisp contrast

## Effortless setup. Total control.

- · CMND & Deploy. Install and launch apps remotely
- $\bullet$  Operate, monitor and maintain with CMND & Control
- CMND & Create. Develop and launch your own content

#### Versatile system solution

- Energy-saving automatic backlight control
- FailOver ensures content is always playing
- · Internal memory. Upload content for instant play
- Simplified user interaction with kiosk mode



## Highlights

#### **CMND & Deploy**

Quickly install and launch any app-even when you're off-site and working remotely. CMND & Deploy lets you add and update your own apps, as well as apps from the Philips Professional Display App Store. Simply scan the QR code, log in to the store, and click on the app you want to install. The app is automatically downloaded and launched.

#### **CMND & Control**



Run your display network over a local (LAN) connection. CMND & Control allows you to perform vital functions like controlling inputs and monitoring display status. Whether you're in charge of one screen or 100.

#### **CMND & Create**



Take control of your content with CMND & Create. A drag-and-drop interface makes it simple to publish your own content-whether it's a daily specials board or branded corporate information. Preloaded templates and integrated widgets ensure your stills, text, and video will be up and running in no time.

#### **FailOver**



From waiting room to meeting room, never show a blank screen. FailOver lets your Philips Professional Display switch automatically between primary and secondary inputs ensuring content keeps playing even if the primary source goes down. Simply set a list of alternate inputs to be sure your business is always on.

#### **Internal memory**

Save and play content without the need for a permanent external player. Your Philips professional display has an internal memory, which allows you to upload media into the display for instant playback. The internal memory also functions as a cache for online streaming.

### **Powered by Android 8**

Control your display via an Internet connection. Android-powered Philips Professional Displays are optimized for native Android apps, and you can install web apps directly to the display too. A new Android 8 ensures the software is kept secure and remain to the latest specification for longer.









## **Specifications**

#### Picture/Display

- Diagonal screen size: 43 inch / 108.0 cm
- Panel resolution: 3840 x 2160
- Optimum resolution: 3840 x 2160 @ 60 Hz
- Brightness: 400 cd/m<sup>2</sup>
- Contrast ratio (typical): 1200:1
- · Surface treatment: Anti-Glare coating
- Aspect ratio: 16:9
- Response time (typical): 8 ms
- Pixel pitch: 0.2451(H) x 0.2451(V) mm
- Display colors: 1.07 B
- Viewing angle (H / V): 178 / 178 degree
- Picture enhancement: 3/2 2/2 motion pull down, 3D Combfilter, Motion compens. deinterlacing, Progressive scan, 3D MA deinterlacing, Dynamic contrast enhancement
- Panel technology: IPS
- Operating system: Android 8.0

#### Interactivity

- · Multi-touch technology: Projected capacitive
- Touch points: 10 simultaneous touch points
- · Plug and play: HID compliant
- · Protection glass: 3 mm tempered safety glass

#### Connectivity

- Video input: DVI-D (x1), HDMI 2.0 (x2), USB 2.0 Type A (x2), USB 2.0 Type B (x1), VGA (Analog D-Sub) (x1)
- Audio input: 3.5 mm jack
- · Audio output: 3.5mm jack
- External control: RJ45, IR (in/out) 3.5 mm jack, RS232C (in/out) 2.5 mm jack
- · Other connections: micro SD, OPS

#### **Supported Display Resolution**

Computer formats

Resolution	Refresh rate
$640 \times 480$	60, 67, 72, 75Hz
$800 \times 600$	56, 60, 72, 75Hz
$1024 \times 768$	60Hz
1280 x 768	60Hz
1280 x 800	60Hz
1280 x 1024	60Hz
1360 x 768	60Hz
1366 x 768	60Hz
$1440 \times 900$	60Hz
1600 x 1200	60Hz
1920 x 1080	60Hz
1920 x 1200	60Hz
3840 x 2160	60 Hz, 50 Hz
$720 \times 400$	70Hz
$800 \times 600$	60, 72, 75Hz
Video formats	

Video formats

Resolution	Refresh rate
480i	60Hz
480p	60Hz
576p	50Hz
576i	50Hz
720p	50, 60Hz
1080i	50, 60Hz
1080 <sub>P</sub>	50, 60Hz
1080i	25, 30Hz
$3840 \times 2160$	24 25Hz

 $3840 \times 2160$ 30Hz 30, 60Hz 480i 576i 25, 50Hz

#### Convenience

- Placement: Landscape (18/7), Portrait (18/7)
- Signal loop through: RS232, IR Loopthrough
- Network controllable: RS232, RJ45
- · Screen saving functions: Pixel Shift, Low Brightness
- Keyboard control: Hidden, Lockable
- Remote control signal: Lockable
- Energy saving functions: Smart Power

#### **Dimensions**

- Set dimensions (W x H x D): 990.0 x 578.2 x 70.2(D@Wall mount)/ 102.7(D@External OPS box) mm
- Set dimensions in inch (W x H x D) 38.98 x 22.76 x 2.76(D@Wall mount)/ 4.04(D@External OPS box) inch
- Product weight: 17.9 kg
- Product weight (lb): 39.46 lb
- Bezel width: 2.0 mm (T/R/L/B)
- Wall Mount: 200mm x 200mm, M6

#### Sound

• Built-in speakers: 2 x 10W

#### **Operating conditions**

- Temperature range (operation): 5  $\sim$  40  $^{\circ}$ C Relative humidity: 20  $\sim$  80 %
- MTBF: 50,000 hour(s)
- Altitude: 0 ~ 3000 m
- Temperature range (storage): -20 ~ 60 °C
- Humidity range (operation)[RH]: 20 ~ 80% (without condensation)
- Humidity range (storage) [RH]: 5 ~ 95% (without condensation)

#### **Power**

- Mains power: 100 ~ 240 VAC, 50/60Hz
- Standby power consumption: <0.5W
- · Consumption (Typical): 100 W • Consumption (Max): 220 W
- Energy Label Class: G
- · Power Saving Features: Smart Power

## **Accessories**

- Stand: BM05922 (Optional)
- Included Accessories: Cleaning cloth (x1), IR sensor cable (1.8 m) (x1), Philips logo (x1), Power supply cable (3 m), Quick start guide (x1), Remote control & AAA batteries, RS232 cable (3 m) (x1), RS232 daisy chain cable (x1), USB Cover and screw

#### **Miscellaneous**

- On-Screen Display Languages: Arabic, English, French, German, Italian, Japanese, Polish, Spanish, Turkish, Russian, Simplified Chinese, Traditional Chinese, Danish, Dutch, Finnish, Norwegian, Portuguese, Swedish
- Regulatory approvals: CE, RoHS, CB, BSMI, CU,



Issue date 2022-07-14

© 2022 Koninklijke Philips N.V. All Rights reserved.

Version: 1.0.1

Specifications are subject to change without notice. Trademarks are the property of Koninklijke Philips N.V. or their respective owners.

12 NC: 8670 001 73003 EAN: 87 12581 77426 4

www.philips.com

ETL, FCC, Class A, IMDA, PSB · Warranty: 3 year warranty

### **Multimedia Applications**

- USB Playback Audio: AAC, AIF, AIFF, ASF, LPCM, M3U, M4A, MP3, MP4, WAV, WMA
- USB Playback Picture: BMP, GIF, JPEG, JPG, PDF USB Playback Video: M2TS, M4V, MK3D, MKV,
- MP4, MPEG, MPG, MTS, TS, TTS, VOB, WMV

#### **Internal Player**

- CPU: 2 x A53 + 2 x A73
- · GPU: ARM Mali G51
- Memory: 2GB DDR3, 8GB
- Wifi: 2.4 G, 5 G